



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Organization of:

Canadian Electrocoating Ltd.
945 Prince Road, Windsor, ON N9C 2ZH, Canada

*and hereby declares that the Organization is accredited in accordance with
the recognized International Standard:*

ISO/IEC 17025:2017

Whereby, technical competence has been confirmed for the associated scope supplement, in the fields of:

Mechanical Testing
(As detailed in the supplement)

Accreditation claims for conformity assessment activities shall only be made from the addresses referenced within this certificate and shall apply solely to those activities identified in the related scope. This Accreditation is granted subject to the Accreditation Body rules governing the Accreditation referred to above, and the Organization hereby commits to observing and complying with those rules in their entirety.

For PJLA:

Initial Accreditation Date:

Issue Date:

Expiration Date:

November 29, 2023

December 08, 2025

March 31, 2028

Accreditation No.:

Certificate No.:

120780

L25-931

Tracy Szerszen
President

*The validity of this certificate is maintained through ongoing assessments based
on a continuous accreditation cycle. The validity of this certificate should be
confirmed through the PJLA website: www.pjlab.com*

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084



Certificate of Accreditation: Supplement

Canadian Electrocoating Ltd.

945 Prince Road, Windsor, ON N9C 2ZH, Canada
 Contact Name: Kimberley Harkins Phone: 519-977-7523

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Mechanical	Metal Substrates	Film Thickness	ISO 2808 Method 7B.2, ISO 2808 7C, ASTM B499, ASTM B244	Fischer Dual scope	F1, F2	F
Mechanical	Metal Substrates	Adhesion	GMW14829, TSH1551G Sec 3.2, ISO 2409, D25 1075	Scribe Tool, Template, Millimeter Scale, Pressure Sensitive Adhesion Tape	F1, F2	F
Mechanical	Metal Substrates	Cure	GMW15891, TSH1551G Sec 4.2, LP-463PB-31-01 METHOD J	M.I.B.K. OR ACETONE, CHEESE CLOTH	F1, F2	F
Mechanical	Metal Substrates	Chip Resistance	GMW14700 – Method C, NES M0007 Sec 28, SAE J400	Gravelometer	F1, F2	F
Mechanical	Metal Substrates	Pencil Hardness	TSH1539G	Mitsubishi “Hi-Uni” Pencil	F1, F2	F
Mechanical	Metal Substrates	Corrosion Creepback	GMW15282	Scribe Tool, Template, Millimeter Scale, Pressure Sensitive Adhesion Tape	F1, F2	F
Mechanical	Metal Substrates	Cyclic Scab	SAE J2334	Corrosion Tester	F1, F2	F
Mechanical	Metal Substrates	Salt Spray	GMW3286, TSH1552G, ASTM B117, NES M0007 Sec 33, ISO 9227	Test Chamber	F1, F2	F
Mechanical	Metal Substrates	Humidity	GMW14729, ASTM D1735, NES M0007 Sec 32	Corrosion Tester	F1, F2	F



Certificate of Accreditation: Supplement

Canadian Electrocoating LTd.

945 Prince Road, Windsor, ON N9C 2ZH, Canada
Contact Name: Kimberley Harkins Phone: 519-977-7523

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Mechanical	Metal Substrates	Water Immersion	TSH1551G Sec 5, NES M0007 Sec 57	Water Immersion Bath	F1, F2	F
Mechanical	Metal Substrates	Cyclic Corrosion – Functional and Cosmetic	GMW14872, SAE J2334	Corrosion Tester	F1, F2	F

1. Location of activity:

Location

F

Location

Conformity assessment activity is performed at the CABs fixed facility

2. Flex Code:

- F0- Fixed scope item. No deviations allowed to the line item as identified, except for updating to the most recent version of an accredited standard method after verification.
- F1- Laboratory has the capability to test a new item, material, matrix, or product similar in composition to item, material, matrix, or product identified on the scope
- F2- Laboratory has the capability to introduce the newest revision of an accredited authoritative standard method (with no modifications) identified on the scope
- F3- Laboratory has the capability to introduce a parameter/component/analyte to an accredited test method identified on the scope
- F4- Laboratory has the capability to introduce a new revision of an accredited non-standard method using the same technology or technique identified on the scope
- F5- Laboratory has the capability to introduce a validated method that is equivalent to an accredited method (using same technology or technique) identified on the scope